

# APPROVAL SKG.0232.3647.06.ENG

Issued: 22-03-2018  
Valid until: 22-03-2021

Replaces: SKG.0232.3647.05.ENG  
Issued: 18-12-2017



## Approvalholder

d line AS  
Roskildevej 22  
DK-2620 DK-2620  
T: + 45 (0) 7217 0138  
E: info@dline.com  
I: www.dline.com

## Approval of conformity

### Statement by SKG-IKOB

This approval applies to the construction product

### HANDLES

as specified in the attached appendix placed on the market under the name or trade mark of the holder of this approval and produced by or for the holder of this approval in the manufacturing plant(s) if mentioned above.

The product is subjected to the Internal Quality System (IQS) of the holder of this approval with respect to the model specifications and product designations. SKG-IKOB issues this approval of the product based on:

- I Results of Initial Type Testing of the product;
- II Initial inspection of the manufacturing plant and the Internal Quality System (IQS) according the requirements of the SKG-IKOB Guideline for a Certificate of conformity and the standard as mentioned beneath;
- III Every three year an assessment and evaluation of the Internal Quality System (IQS) according the requirements of the SKG-IKOB Guideline for a Approval of conformity and the standard as mentioned beneath.

This approval attests that products, produced by or on behalf of the holder of this approval, delivered under type- and/or article number as mentioned in the annex meet the classification(s) according to:

### EN 1906: 2012

This approval was first issued on 22-03-2013 and will remain valid until the date as mentioned at this approval provided that the test methods and/or factory production control requirements included in the standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

For SKG-IKOB

A handwritten signature in blue ink, appearing to be 'ir. H.A.J. van Dartel', written over a light blue circular stamp.

ir. H.A.J. van Dartel  
Certification manager

The users of this approval are advised to verify at [www.skgikob.nl](http://www.skgikob.nl) if this certificate is still valid and actual.  
This certificate consists of 5 pages.

APPROVAL

SKG-IKOB Certificatie  
Poppenbouwing 56  
4191 NZ Geldermalsen

Postbus 202  
4190 CE Geldermalsen

T 088-2440100  
[info@skgikob.nl](mailto:info@skgikob.nl)  
[www.skgikob.nl](http://www.skgikob.nl)



## Annex 1

### LEVER HANDLES

Article	Specification	Classification according to EN 1906	SKG-IKOB - ITT (report no.)
d line: Ø14 model: L, U Ø16 model: L, U, U2, M, UF, LF, C, C2 Ø19 model: L, U, U2, M, UF, LF, C, C2, B, FF, FFG, O, FFU Ø22 model: L, U, Coupe	Stainless steel lever handles on aluminium roses, solid roses or back plates	4 7 - B1 1 4 0 U	11-401
d line - IKON model designs: AJ, JN, PLH, HL, AB, Onen, SHL, KOF, Triangel, Cubo Fish SS	Brass or stainless steel lever handles on stainless steel roses or back plates or aluminium roses with stainless steel cover base construction, with ball bearing	4 7 - B1 1 4 0 U	11-401
d line - IKON model design: Cubo SS	Stainless steel lever handles on stainless steel roses or back plates or aluminium roses with stainless steel cover base construction, with ball bearing	2 7 - B1 0 4 0 U	10-426
d line - IKON model design: Aarstiderne Wood	Timber/stainless steel lever handles on stainless steel roses or back plates or aluminium roses with stainless steel cover base construction, with ball bearing	4 7 - B1 0 4 0 U	11-401
Base - 28.xxxx.02.xxx : L shape 16 / 19 mm U shape 16 / 19 mm C shape 19 mm FF shape 19 mm Coupe shape	Stainless steel lever handles on stainless steel roses, or on zamac roses with stainless steel cover	4 7 - B1 0 4 0 U	10-426 11-401

## Annex 2

### FLUSH PULL HANDLES

Article	Specification	Classification according to EN 1906	SKG-IKOB - assessment								
d line: 14390002051 14390002077 14390002115 14395002105 14395002164 14397002111 16390001057 16390001073 16390001111 16391001001 16395001101 16395001161 16397001117	Stainless steel flush pulls; Round: Ø 50 – 115 mm Oval: 50 – 58 x 102 – 175 mm Square: 175 x 175 mm	<table border="1" style="margin: auto;"> <tr> <td>-</td><td>-</td><td>-</td><td>B</td><td>-</td><td>-</td><td>-</td><td>-</td> </tr> </table>	-	-	-	B	-	-	-	-	17.00417
-	-	-	B	-	-	-	-				

Article	Specification	Classification according to EN 1906	SKG-IKOB - assessment								
d line: 14391002001	Stainless steel flush pull ring; Round: Ø 80 mm	<table border="1" style="margin: auto;"> <tr> <td>-</td><td>-</td><td>-</td><td>B</td><td>-</td><td>-</td><td>-</td><td>-</td> </tr> </table>	-	-	-	B	-	-	-	-	17.00417
-	-	-	B	-	-	-	-				

Article	Specification	Classification according to EN 1906	SKG-IKOB - assessment								
d line: 14397402095 14397402096 14397402098 14397402099 16397401098	Stainless steel with aluminium flush pull toilet indicators; Round: Ø 50 mm	<table border="1" style="margin: auto;"> <tr> <td>-</td><td>-</td><td>-</td><td>A</td><td>-</td><td>-</td><td>-</td><td>-</td> </tr> </table>	-	-	-	A	-	-	-	-	17.00417
-	-	-	A	-	-	-	-				

Article	Specification	Classification according to EN 1906	SKG-IKOB - assessment								
Base: 28390002051 28390002077 28395002105	Stainless steel flush pulls; Round: Ø 50 – 75 mm Oval: 50 – 100 mm	<table border="1" style="margin: auto;"> <tr> <td>-</td><td>-</td><td>-</td><td>B</td><td>-</td><td>-</td><td>-</td><td>-</td> </tr> </table>	-	-	-	B	-	-	-	-	17.00417
-	-	-	B	-	-	-	-				

# APPROVAL

d line AS

Number: SKG.0232.3647.06.ENG

Page 4 of 5

## Annex 3

### PULL HANDLES

Article	Specification	Classification according to EN 1906	SKG-IKOB - assessment								
d line: 12.4222.xx.xxx 12.4226.xx.xxx 14.4022.xx.xxx 14.4024.xx.xxx 14.4222.xx.xxx 14.4224.xx.xxx 14.4228.xx.xxx 14.4312.xx.xxx 14.4314.xx.xxx 14.4422.xx.xxx 14.4424.xx.xxx 14.4428.xx.xxx 14.4622.xx.xxx 14.4624.xx.xxx 14.4628.xx.xxx 14.9740.xx.xxx 16.3812.xx.xxx 16.3822.xx.xxx 16.3842.xx.xxx 16.4222.xx.xxx 16.4224.xx.xxx  xx = finishing type: satin or polished xxx = pull handle length	Stainless steel pulls handles; Round: Ø 10 – 32 mm Different shapes / length	<table border="1"> <tr> <td>-</td><td>-</td><td>-</td><td>B</td><td>-</td><td>-</td><td>-</td><td>-</td> </tr> </table>	-	-	-	B	-	-	-	-	17.01353
-	-	-	B	-	-	-	-				

Article	Specification	Classification according to EN 1906	SKG-IKOB - assessment								
d line: 15.3812.xx.xxx 15.4012.xx.xxx 15.4014.xx.xxx 15.4032.xx.xxx 15.4034.xx.xxx 15.4052.xx.xxx 15.4054.xx.xxx 15.4212.xx.xxx 15.4214.xx.xxx 15.4232.xx.xxx 15.4234.xx.xxx 15.4252.xx.xxx 15.4254.xx.xxx 15.4412.xx.xxx 15.4414.xx.xxx 15.4434.xx.xxx 15.4612.xx.xxx 15.4614.xx.xxx 15.4632.xx.xxx 15.4634.xx.xxx 15.4652.xx.xxx 15.4654.xx.xxx  xx = finishing type: satin or polished xxx = pull handle length	Brass pulls handles; Round: Ø 10 – 38 mm Different shapes / length  15.9740.xx.xxx: support f/Ø38 pull handle	<table border="1"> <tr> <td>-</td><td>-</td><td>-</td><td>A</td><td>-</td><td>-</td><td>-</td><td>-</td> </tr> </table>	-	-	-	A	-	-	-	-	17.01353
-	-	-	A	-	-	-	-				

## Annex 4

### PULL HANDLES

Article	Specification	Classification according to EN 1906	SKG-IKOB - assessment								
<p>d line:</p> <p>14.4011.xx.xxx 14.4012.xx.xxx 14.4013.xx.xxx 14.4014.xx.xxx 14.4019.xx.xxx 14.4032.xx.xxx 14.4034.xx.xxx 14.4052.xx.xxx 14.4054.xx.xxx 14.4070.xx.xxx 14.4211.xx.xxx 14.4212.xx.xxx 14.4213.xx.xxx 14.4214.xx.xxx 14.4218.xx.xxx 14.4219.xx.xxx 14.4232.xx.xxx 14.4234.xx.xxx 14.4252.xx.xxx 14.4254.xx.xxx 14.4412.xx.xxx 14.4414.xx.xxx 14.4418.xx.xxx 14.4419.xx.xxx 14.4432.xx.xxx 14.4434.xx.xxx 14.4612.xx.xxx 14.4614.xx.xxx 14.4618.xx.xxx 14.4619.xx.xxx 14.4632.xx.xxx 14.4634.xx.xxx 14.4652.xx.xxx 14.4654.xx.xxx 14.4712.xx.xxx 14.4714.xx.xxx 14.4719.xx.xxx 14.4812.xx.xxx 14.4814.xx.xxx 16.4011.xx.xxx 16.4012.xx.xxx 16.4013.xx.xxx 16.4014.xx.xxx 16.4032.xx.xxx 16.4034.xx.xxx 16.4052.xx.xxx 16.4054.xx.xxx 16.4070.xx.xxx 16.4211.xx.xxx 16.4212.xx.xxx 16.4213.xx.xxx 16.4214.xx.xxx 16.4218.xx.xxx 16.4232.xx.xxx 16.4234.xx.xxx 16.4252.xx.xxx 16.4254.xx.xxx 16.4312.xx.xxx 16.4412.xx.xxx 16.4414.xx.xxx 16.4418.xx.xxx 16.4432.xx.xxx 16.4434.xx.xxx 16.4612.xx.xxx 16.4614.xx.xxx 16.4618.xx.xxx 16.4632.xx.xxx 16.4634.xx.xxx 16.4652.xx.xxx 16.4654.xx.xxx 16.4812.xx.xxx 16.4814.xx.xxx 28.4212.xx.xxx 28.4214.xx.xxx 28.4232.xx.xxx 28.4234.xx.xxx 28.4412.xx.xxx 28.4414.xx.xxx 28.4432.xx.xxx 28.4434.xx.xxx 28.4612.xx.xxx 28.4614.xx.xxx 28.4632.xx.xxx 28.4634.xx.xxx</p> <p>xx = finishing type: satin or polished xxx = pull handle length</p>	<p>Stainless steel pulls handles with aluminium or brass insert; Round: Ø 14 – 38 mm Different shapes / length</p> <p>16.9740.xx.xxx : support f/Ø38 pull handle</p>	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="text-align: center;">-</td> <td style="text-align: center;">-</td> <td style="text-align: center;">-</td> <td style="text-align: center;">A</td> <td style="text-align: center;">-</td> <td style="text-align: center;">-</td> <td style="text-align: center;">-</td> <td style="text-align: center;">-</td> </tr> </table>	-	-	-	A	-	-	-	-	<p style="text-align: center;"><b>17.01353</b></p>
-	-	-	A	-	-	-	-				