

APPROVAL

SKG.0232.3647.10.ENG

Issued: 22-03-2024
Valid until: 22-03-2027

Replaces: SKG.0232.3647.09.ENG
Issued: 18-01-2022



Approvalholder

d line AS
Roskildevej 22
DK-2620 DK-2620
T: + 45 (0) 7217 0138
E: info@dline.com
I: www.dline.com

Approval of conformity

Statement by SKG-IKOB

This approval applies to the construction product

HANDLES

as specified in the attached appendix placed on the market under the name or trade mark of the holder of this approval and produced by or for the holder of this approval in the manufacturing plant(s) if mentioned above.

The product is subjected to the Internal Quality System (IQS) of the holder of this approval with respect to the model specifications and product designations. SKG-IKOB issues this approval of the product based on:

- I Results of Initial Type Testing of the product;
- II Initial inspection of the manufacturing plant and the Internal Quality System (IQS) according the requirements of the SKG-IKOB Guideline for an Approval of conformity and the standard as mentioned beneath;
- III Every three year an assessment and evaluation of the Internal Quality System (IQS) according the requirements of the SKG-IKOB Guideline for an Approval of conformity and the standard as mentioned beneath.

This approval attests that products, produced by or on behalf of the holder of this approval, delivered under type- and/or article number as mentioned in the annex meet the classification(s) according to:

EN 1906: 2012

This approval was first issued on 22-03-2013 and will remain valid until the date as mentioned at this approval provided that the test methods and/or factory production control requirements included in the standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

For SKG-IKOB

A handwritten signature in blue ink, appearing to be 'ir. H.A.J. van Dartel', written over a light blue background.

ir. H.A.J. van Dartel
Certification manager

The users of this approval are advised to verify at www.skgikob.nl if this approval is still valid and actual.
This approval consists of 5 pages.

APPROVAL

SKG-IKOB Certificatie
Poppenbouwing 56
4191 NZ Geldermalsen

Postbus 202
4190 CE Geldermalsen

T 088-2440100
info@skgikob.nl
www.skgikob.nl

Annex 1

LEVER HANDLES

Article	Specification	Classification according to EN 1906	SKG - ITT (report nr.)
d line handle models: Ø14: L, U Ø16: L, U, U2, M, UF, LF, C, C2 Ø19: L, L-9, U,U-9, U2, M, UF, LF, C, C2, B, FF, FFG, O, FFU Ø22: L, U, Coupe AJ, JN, PLH, HL, AB, Onen, SHL, KOF, Triangel, Cubo Fish SS, VL, Cut, Pebble	*)Stainless steel or brass lever handles on; *)Stainless steel roses □ 50 mm, with ball bearing or; aluminium roses □ 47,8 or 58 mm, with ball bearing and *)stainless steel cover Mounting: 2x M4 or 2x M5	4 7 - B1 1 4 0 U	11-401 20.01404 21.01117 21.00432
d line handle models: Cubo SS	*)Stainless steel lever handles on; *)Stainless steel roses □ 50 mm, with ball bearing or; aluminium roses □ 47,8 mm, with ball bearing and *)stainless steel cover Mounting: 2x M4 or 2x M5	2 7 - B1 0 4 0 U	10-426 - 1 20.01404
d line handle models: Aarstiderne Wood	Timber/*)stainless steel lever handles on; *)Stainless steel roses □ 50 mm, with ball bearing or; Aluminium roses □ 47,8 mm, with ball bearing and *)stainless steel cover Mounting: 2x M4 or 2x M5	3 7 - B1 0 4 0 U	10-426 - 2 20.0140
Base - 28.xxxx.02.xxx handle models: 16 / 19 mm: L shape, U shape 19 mm: C shape, FF shape, Coupe shape	*)Stainless steel lever handles on; *)Stainless steel roses □ 50 mm, with ball bearing or; Zamac roses □ 47,8 mm, with ball bearing and *)stainless steel cover Mounting: 2x M4 or 2x M5	4 7 - B1 0 4 0 U	11-401 20.01404

*) Various surface treatments and/or coatings.

Annex 2

FLUSH PULL HANDLES

Article	Specification	Classification according to EN 1906	SKG - ITT (report nr.)								
d line 14390002051 14390002077 14390002115 14395002105 14395002164 14397002111 16390001057 16390001073 16390001111 16391001001 16395001101 16395001161 16397001117	*)Stainless steel flush pulls; Round: Ø 50 – 115 mm Oval: 50 – 58 x 102 – 175 mm Square: 175 x 175 mm	<table border="1" style="margin: auto;"> <tr> <td>-</td><td>-</td><td>-</td><td>B</td><td>-</td><td>-</td><td>-</td><td>-</td> </tr> </table>	-	-	-	B	-	-	-	-	17.00417
-	-	-	B	-	-	-	-				

Article	Specification	Classification according to EN 1906	SKG - ITT (report nr.)								
d line 14391002001	*)Stainless steel flush pull ring; Round: Ø 80 mm	<table border="1" style="margin: auto;"> <tr> <td>-</td><td>-</td><td>-</td><td>B</td><td>-</td><td>-</td><td>-</td><td>-</td> </tr> </table>	-	-	-	B	-	-	-	-	17.00417
-	-	-	B	-	-	-	-				

Article	Specification	Classification according to EN 1906	SKG - ITT (report nr.)								
d line 14397402095 14397402096 14397402098 14397402099 16397401098	*)Stainless steel with aluminium flush pull toilet indicators; Round: Ø 50 mm	<table border="1" style="margin: auto;"> <tr> <td>-</td><td>-</td><td>-</td><td>A</td><td>-</td><td>-</td><td>-</td><td>-</td> </tr> </table>	-	-	-	A	-	-	-	-	17.00417
-	-	-	A	-	-	-	-				

Article	Specification	Classification according to EN 1906	SKG - ITT (report nr.)								
Base 28390002051 28390002077 28395002105	*)Stainless steel flush pulls; Round: Ø 50 – 75 mm Oval: 50 – 100 mm	<table border="1" style="margin: auto;"> <tr> <td>-</td><td>-</td><td>-</td><td>B</td><td>-</td><td>-</td><td>-</td><td>-</td> </tr> </table>	-	-	-	B	-	-	-	-	17.00417
-	-	-	B	-	-	-	-				

*) Various surface treatments and/or coatings.

Annex 3

PULL HANDLES

Article	Specification	Classification according to EN 1906	SKG - ITT (report nr.)								
d line 12.4222.xx.xxx 12.4226.xx.xxx 14.4022.xx.xxx 14.4024.xx.xxx 14.4222.xx.xxx 14.4224.xx.xxx 14.4228.xx.xxx 14.4312.xx.xxx 14.4314.xx.xxx 14.4422.xx.xxx 14.4424.xx.xxx 14.4428.xx.xxx 14.4622.xx.xxx 14.4624.xx.xxx 14.4628.xx.xxx 14.9740.xx.xxx 16.3812.xx.xxx 16.3822.xx.xxx 16.3842.xx.xxx 16.4222.xx.xxx 16.4224.xx.xxx xx = finishing type: satin or polished xxx = pull handle length	*)Stainless steel pulls handles; Round: Ø 10 – 32 mm Different shapes / length	<table border="1"> <tr> <td>-</td><td>-</td><td>-</td><td>B</td><td>-</td><td>-</td><td>-</td><td>-</td> </tr> </table>	-	-	-	B	-	-	-	-	17.01353
-	-	-	B	-	-	-	-				

Article	Specification	Classification according to EN 1906	SKG - ITT (report nr.)								
d line 15.3812.xx.xxx 15.4012.xx.xxx 15.4014.xx.xxx 15.4032.xx.xxx 15.4034.xx.xxx 15.4052.xx.xxx 15.4054.xx.xxx 15.4212.xx.xxx 15.4214.xx.xxx 15.4232.xx.xxx 15.4234.xx.xxx 15.4252.xx.xxx 15.4254.xx.xxx 15.4412.xx.xxx 15.4414.xx.xxx 15.4434.xx.xxx 15.4612.xx.xxx 15.4614.xx.xxx 15.4632.xx.xxx 15.4634.xx.xxx 15.4652.xx.xxx 15.4654.xx.xxx xx = finishing type: satin or polished xxx = pull handle length	*)Brass pulls handles; Round: Ø 10 – 38 mm Different shapes / length 15.9740.xx.xxx: support f/Ø38 pulls handle	<table border="1"> <tr> <td>-</td><td>-</td><td>-</td><td>A</td><td>-</td><td>-</td><td>-</td><td>-</td> </tr> </table>	-	-	-	A	-	-	-	-	17.01353
-	-	-	A	-	-	-	-				

*) Various surface treatments and/or coatings

APPROVAL

d line AS

Number: SKG.0232.3647.10.ENG

Page 5 of 5

Annex 4

PULL HANDLES

Article	Specification	Classification according to EN 1906	SKG - ITT (report nr.)								
<p>d line</p> <p>14.4011.xx.xxx , 14.4012.xx.xxx 14.4013.xx.xxx , 14.4014.xx.xxx 14.4019.xx.xxx , 14.4032.xx.xxx 14.4034.xx.xxx , 14.4052.xx.xxx 14.4054.xx.xxx , 14.4070.xx.xxx 14.4211.xx.xxx , 14.4212.xx.xxx 14.4213.xx.xxx , 14.4214.xx.xxx 14.4218.xx.xxx , 14.4219.xx.xxx 14.4232.xx.xxx , 14.4234.xx.xxx 14.4252.xx.xxx , 14.4254.xx.xxx 14.4412.xx.xxx , 14.4414.xx.xxx 14.4418.xx.xxx , 14.4419.xx.xxx 14.4432.xx.xxx , 14.4434.xx.xxx 14.4612.xx.xxx , 14.4614.xx.xxx 14.4618.xx.xxx , 14.4619.xx.xxx 14.4632.xx.xxx , 14.4634.xx.xxx 14.4652.xx.xxx , 14.4654.xx.xxx 14.4712.xx.xxx , 14.4714.xx.xxx 14.4719.xx.xxx , 14.4812.xx.xxx 14.4814.xx.xxx</p> <p>16.4011.xx.xxx , 16.4012.xx.xxx 16.4013.xx.xxx , 16.4014.xx.xxx 16.4032.xx.xxx , 16.4034.xx.xxx 16.4052.xx.xxx , 16.4054.xx.xxx 16.4070.xx.xxx , 16.4211.xx.xxx 16.4212.xx.xxx , 16.4213.xx.xxx 16.4214.xx.xxx , 16.4218.xx.xxx 16.4232.xx.xxx , 16.4234.xx.xxx 16.4252.xx.xxx , 16.4254.xx.xxx 16.4312.xx.xxx , 16.4412.xx.xxx 16.4414.xx.xxx , 16.4418.xx.xxx 16.4432.xx.xxx , 16.4434.xx.xxx 16.4612.xx.xxx , 16.4614.xx.xxx 16.4618.xx.xxx , 16.4632.xx.xxx 16.4634.xx.xxx , 16.4652.xx.xxx 16.4654.xx.xxx , 16.4812.xx.xxx 16.4814.xx.xxx</p> <p>28.4212.xx.xxx , 28.4214.xx.xxx 28.4232.xx.xxx , 28.4234.xx.xxx 28.4412.xx.xxx , 28.4414.xx.xxx 28.4432.xx.xxx , 28.4434.xx.xxx 28.4612.xx.xxx , 28.4614.xx.xxx 28.4632.xx.xxx , 28.4634.xx.xxx</p> <p>xx = finishing type: satin or polished xxx = pull handle length</p>	<p>*)Stainless steel pulls handles with aluminum or brass insert; Round: Ø 14 – 38 mm Different shapes / length 16.9740.xx.xxx: support f/Ø38 pulls handle</p>	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td style="text-align: center;">-</td> <td style="text-align: center;">-</td> <td style="text-align: center;">-</td> <td style="text-align: center;">A</td> <td style="text-align: center;">-</td> <td style="text-align: center;">-</td> <td style="text-align: center;">-</td> <td style="text-align: center;">-</td> </tr> </table>	-	-	-	A	-	-	-	-	<p style="text-align: center;">17.01353</p>
-	-	-	A	-	-	-	-				

*) Various surface treatments and/or coatings